

---

# 05 Product Overview

---

## 05.01 eGate®



01 eGATE®

---

## 05.02 eGate® Control System



02 eGATE® CONTROL SYSTEM

---

## 05.03 Sirio Turnstile



03 SIRIO TURNSTILE

---

## 05.04 EasyGo Turnstile



04 EASYGO TURNSTILE

---

## 05.05 Part Line 2000



05 PART LINE 2000

---

## 05.06 Part Flex 2000



06 PART FLEX 2000

---

## 05.07 Sonic Gate



07 SONIC GATE

---

# 05 Security Solutions



# 05.01 eGate®

Perfect functionality and attractive design

- > Panic protection with automatic arm reset
- > Future-proof thanks to flexible software solutions
- > Swivel barrier made of single-plate safety glass



**eGATE®**  
with transparent swivel arm  
in single-plate safety glass



## Swivel arm

Made of single-plate safety glass, with individual inscription on request.



## Swivel barrier

Made of stainless steel in various designs with notice sign.



■ **Intelligent systems guide passengers and visitors** safely through the terminal. Whether it features crawl-under protection or an exit alarm, whether it's stand-alone or networked (LAN), eGate® sets itself apart through perfect functionality and an attractive design.

eGate®	
<b>Order no.</b>	On request
Upright material	Aluminium
Finish	Plastic powder coating
Swivel arm	ES glass
WEAC control system	For communicating data
Exit alarm	Optional
Barrier manipulation alarm	Optional
Control panel	Optional
Swivel range monitoring	Optional

# 05.02 eGate® Control System

To satisfy the highest security requirements

- > *Reliable one-time opening*
- > *Intelligent access control sensor technology*
- > *Perfect high-security features*

■ The eGate® control system is an entrance and exit system with an innovative inspection system for access authorisation and visual and acoustic alarm management in the event of misuse.



## Scanner

With maximum scanner accuracy, e.g. for barcodes, QR codes, smartphones, transponders, etc.



## Flat screen

Optimised entry due to clearly presented, easy to understand information for passengers.




## Optional

Side elements with optional LED lighting and individual inscription.



eGATE® Control System

### eGATE® Control System



#### Order no.

Upright material	Aluminium
Finish	Plastic powder-coated
Swivel mechanism material	Stainless steel
Barrier element material	Acrylic glass/single-plate safety glass
Integrated PC interface	For data exchange
WEAC control system	With remote maintenance
Height of the swivel arms	Provide evasion protection
Alarm management	Visual and acoustic

On request

# 05.03 Sirio Turnstile

*Elegant motor-driven turnstile*

- > *Ideal in architecturally sophisticated surroundings*
- > *Form-fit stainless steel casing*
- > *Available with two or three arms*



**SIRIO 2-ARM**  
motor-driven turnstiles with system integration



Design pend.

■ **Elegant turnstiles with enclosed stainless steel housing** in a motor-driven version. Sirio turnstiles ensure safe, dependable and convenient movement of people.

## System integration

Release using standard card reader, coin operation, ticket machine, control panel, ticketing system or building control system.



## Optional equipment

LED release signal lighting, crawl/climbing guard with acoustic alarm, sensors for non-contact rotation and emergency button.



## Operating panel

For manual releases, the display shows operation conditions, counter status, error messages and warnings, etc.



### Sirio

<p>Sirio 2-arm "open gate"</p>		<p>KF Classic      RT System</p>		<p>RT System</p>	
<b>Order no.</b>	See number of arms	<b>Additional equipment</b>			
Material	Stainless steel	<b>Channelling element</b>	Stainless steel	KF Classic, 2 tubes	00.43219.09-0001
Finish	Polished	Plastic powder coating		<input checked="" type="checkbox"/>	
Mechanics	Low-maintenance	<b>Channelling element</b>	With single-plate safety glass, 6 mm	RT System, stainless steel	23.81037.09-0001
Control	Individually programmable	<b>Optional accessories</b>			
<b>Sirio with 2 arms</b>	23.50004.09	Holder for card reader		<input checked="" type="checkbox"/>	
Cycle	120° or 240° rotation	Holder for camera system		<input checked="" type="checkbox"/>	
Motor-driven into the alarm position	Access is free	Natural stone top		<input checked="" type="checkbox"/>	
<b>Sirio with 3 arms</b>	23.50003.09				
Cycle	120° rotation, motor-driven				
Alarm position	Turnstile rotates freely				

# 05.04 EasyGo Turnstile

With Vending Unit – functional safety guaranteed

- > **Reliable access control**
- > **Stainless steel casing**
- > **Available with two or three arms**

■ **Chargeable accesses with turnstiles regulate** the flow of people and ensure safe, individual entry. After paying the fee, the entry to the chargeable area is released.



EasyGo Turnstile  
with Vending Unit

## System adjustment

Freely configurable fee system. Output of statistics and frequency measurements. Hopper filling level can be freely specified. Receipt printing.



## Cash boxes

Mechanical locking of the cash boxes. Can hold up to approx. 1100 coins. Coins freely definable.



## Receipts

Individual customers can print out receipts/ vouchers.




Ticket machine with EasyGo turnstile	Ticket machine on the left	Ticket machine on the right
<b>Order no.</b>	On request	On request
Material	Stainless steel	Stainless steel
Currency	All national currencies	All national currencies
Payment	Coins, banknotes and credit cards	Coins, banknotes and credit cards
Barrier elements	2- or 3-arm	2- or 3-arm
Power supply	230V	230V
Display	Illuminated, transreflective	Illuminated, transreflective
Alarm system	Integrated	Integrated
Automatic coin sorting	Automatic	Automatic

# 05.05 Part Line 2000

One of the finest examples of guidance systems

- > Slick elegance for every occasion
- > Subtle separation of check-in and VIP areas
- > With a practical accessory: poster holder



**PART LINE 2000**  
guidance system

■ **Stylish guidance system characterised** by its slick elegance and flexibility. Guidance systems and the separation of certain areas can also be visualised using the matching poster holders.

## Rope designs

Ropes are available in velvet or twisted polypropylene, both in red or black. Standard length two metres.



## Practical

The ropes can also be fixed to the wall using wall mountings.




## Accessories

The conical designs (L + P) of Part Line 2000 can be used in conjunction with a poster holder (DIN A4 portrait or landscape).



### Part Line 2000



Order no.	See model
Model L	04.07122.10-0001 (chrome), 04.07128.06-0000 (brass)
Model C	04.07120.10-0001 (chrome), 04.07127.06-0000 (brass)
Model P	04.07130.09-0000 (stainless steel)
Rope, velvet, 2 metres, red	77.38646.00-0001 (end piece chrome), 77.38647.00-0001 (end piece brass)
Rope, velvet, 2 metres, black	77.38646.00-0002 (end piece chrome), 77.38647.00-0002 (end piece brass)
Rope, twisted polypropylene, 2 metres, red	77.38645.00-0001 (end piece chrome), 77.38648.00-0001 (end piece brass)
Rope, twisted polypropylene, 2 metres, red	77.38649.00-0001 (end piece stainless steel)
Rope, twisted polypropylene, 2 metres, black	77.38645.00-0002 (end piece chrome), 77.38648.00-0002 (end piece brass)
Rope, twisted polypropylene, 2 metres, black	77.38649.00-0002 (end piece stainless steel)
DIN A4 poster holder, portrait	04.07124.00-0000 (chrome), 04.07126.00-0000 (brass)
DIN A4 poster holder, landscape	04.07125.00-0000 (chrome), 04.07131.00-0000 (brass)

# 05.06 Part Flex 2000

*The flexible guidance system*

- > A mobile and effective way to cordon off areas
- > Uprights made of steel tubing with integrated reel mechanism for pull-out bands
- > Triple docking facility



**PART FLEX 2000**  
guidance system

■ **The flexible guidance system.** Suitable for use wherever passenger flows need to be guided or separated. You'll find the right solution for any task here!

## Practical

Integrated reel mechanism.



Part Flex 2000	
Material	Steel tubing
Finish	High-gloss chrome-plated
Height	940 mm
Base plate Ø	340 mm
Upright with pull-out band, red	23.75100.10-0000
Upright with pull-out band, dark blue	23.75101.10-0000
Upright with pull-out band, grey	23.75102.10-0000
Length of pull-out band	2000 mm
4-way adapter	Triple docking facility
Wall clip	23.92892.09-0000
Printed pull-out band	On request

# 05.07 Sonic Gate

*Upright for voice announcements on travelators and escalators*

- > Radar-activated
- > Freely definable voice announcements
- > Preventive for increased security

■ **Preventive for increased security.** The signal is triggered by a radar control system with a freely adjustable radius of action. The upright is equipped with a PC interface for data exchange as a standard feature.



SONIC GATE

Sonic Gate	
Upright Ø	120 mm
Height	1,267 mm
Material	Polished stainless steel
<b>Optional</b>	
Material	High-gloss chrome-plated