


July 1999

Index for chapter 8.

- HD-Canopy and accessories Page 8.1 – 8.9
- Topline 30° Canopy
and accessories Page 8.10 – 8.11
- Topline and Shop-Line
Canopy 45° and accessories Page 8.12 – 8.16
- Parabolic Canopy
(protected design)
and accessories Page 8.17 – 8.18
- Luminous band / Fascia
and accessories Page 8.19 – 8.20
- Dias Canopy and accessories Page 8.21
- Shop News

July 1999

ILLUSTRATION







Example of how to use an 45° Topline or Shop-Line canopy



July 1999

Dim.

Item no.





	<p>Sloping canopy holder 45°</p> <p>Back panel not fixable behind this canopy holder</p>	<p>X 45</p>	<p>63003</p>
	<p>Sloping canopy holder 45° for light</p> <p>Back panel not fixable behind this canopy holder</p>	<p>X 45</p>	<p>63001</p>
	<p>Light fitting clamp for sloping canopy</p>		<p>63002</p>
	<p>Back panel</p>	<p>X x Z 60 x 45 90 x 45</p>	<p>23071 23091</p>



July 1999

Dim.

Item no.




	<p>Back panel 45° internal corner for sloping canopy holder</p> <p>To be used with 45° sloping canopy holder</p>	<p>Z 45</p>	<p>63006</p>
	<p>Back panel R90 internal corner for sloping canopy holder</p> <p>To be used with 45° sloping canopy holder</p>	<p>Z 1/8 x 45</p>	<p>63007</p>
	<p>Back panel 90° internal corner for 45° sloping canopy holder, set</p>	<p>Z 45</p>	<p>63008</p>
	<p>Back panel 90° external corner for 45° sloping canopy holder</p>	<p>Z 45</p>	<p>63004</p>



July 1999

Dim.

Item no.





	<p>SHOP-LINE is a semicircular fixture system. Available with various fittings so that full flexibility is obtained in vertical as well as horizontal position</p> <p>SHOP-LINE's "quick-lock" system makes it easy to joint the fittings</p> <p>SHOP-LINE mat reflector</p> <table data-bbox="941 683 1013 828"> <tr><td>58W</td></tr> <tr><td>36W</td></tr> <tr><td>30W</td></tr> <tr><td>18W</td></tr> </table> <p>SHOP-LINE glossy reflector</p> <table data-bbox="941 907 1013 1052"> <tr><td>58W</td></tr> <tr><td>36W</td></tr> <tr><td>30W</td></tr> <tr><td>18W</td></tr> </table> <p>NB: Without tube fluorescent</p>	58W	36W	30W	18W	58W	36W	30W	18W	<p>X</p> <table data-bbox="1157 683 1220 1052"> <tr><td>155</td></tr> <tr><td>124</td></tr> <tr><td>93</td></tr> <tr><td>62</td></tr> <tr><td>155</td></tr> <tr><td>124</td></tr> <tr><td>93</td></tr> <tr><td>62</td></tr> </table>	155	124	93	62	155	124	93	62	<table data-bbox="1332 683 1412 1052"> <tr><td>3530</td></tr> <tr><td>3531</td></tr> <tr><td>3532</td></tr> <tr><td>3533</td></tr> <tr><td>3535</td></tr> <tr><td>3536</td></tr> <tr><td>3537</td></tr> <tr><td>3538</td></tr> </table>	3530	3531	3532	3533	3535	3536	3537	3538
58W																											
36W																											
30W																											
18W																											
58W																											
36W																											
30W																											
18W																											
155																											
124																											
93																											
62																											
155																											
124																											
93																											
62																											
3530																											
3531																											
3532																											
3533																											
3535																											
3536																											
3537																											
3538																											
	<p>SHOP-LINE with painted grid</p> <table data-bbox="941 1276 1013 1422"> <tr><td>58W</td></tr> <tr><td>36W</td></tr> <tr><td>30W</td></tr> <tr><td>18W</td></tr> </table> <p>Contact sales dept. for further information</p> <p>NB: Without tube fluorescent</p>	58W	36W	30W	18W	<p>X</p> <table data-bbox="1157 1276 1220 1422"> <tr><td>155</td></tr> <tr><td>124</td></tr> <tr><td>92</td></tr> <tr><td>62</td></tr> </table>	155	124	92	62	<table data-bbox="1300 1276 1412 1422"> <tr><td>Special</td></tr> <tr><td>Special</td></tr> <tr><td>Special</td></tr> <tr><td>Special</td></tr> </table>	Special	Special	Special	Special												
58W																											
36W																											
30W																											
18W																											
155																											
124																											
92																											
62																											
Special																											
Special																											
Special																											
Special																											
	<p>SHOP-LINE bent</p> <p>Contact sales dept. for further information</p>	<table data-bbox="1157 1736 1220 1881"> <tr><td>90°</td></tr> <tr><td>60°</td></tr> <tr><td>45°</td></tr> <tr><td>15°</td></tr> </table>	90°	60°	45°	15°	<table data-bbox="1300 1736 1412 1881"> <tr><td>3550</td></tr> <tr><td>Special</td></tr> <tr><td>Special</td></tr> <tr><td>Special</td></tr> </table>	3550	Special	Special	Special																
90°																											
60°																											
45°																											
15°																											
3550																											
Special																											
Special																											
Special																											



July 1999


Dim.

Item no.

	<p>SHOP-LINE T-piece</p>		<p>3554</p>
	<p>SHOP-LINE X-piece</p> <p>Contact sales dept. for further information</p>		<p>Special</p>
	<p>SHOP-LINE end piece</p>		<p>3556</p>
	<p>SHOP-LINE universal flexible</p> <p>Contact sales dept. for further information</p>		<p>Special</p>

July 1999

ILLUSTRATION




Example of how to use a parabolic canopy

July 1999

		Dim.	Item no.
	<p>Parabolic canopy type 2 (protected design)</p> <p>for 2 pcs. 15W or 18W fluorescent tubes</p> <p>Fluorescent tubes to be ordered separately</p>	<p>X x Z</p> <p>60 x 59 90 x 59</p>	<p>61000 61001</p>
	<p>Transparencies or pictograms for parabolic canopy type 2 item no. 61000 and 61001)</p> <p>Contact sales dept. for further information</p>	<p>X x Z</p> <p>60 x 50,5-51 90 x 50,5-51</p>	<p>Special</p>
	<p>Parabolic canopy type 2 (protected design)</p> <p>for 2 pcs. 15W or 18W fluorescent tubes</p> <p>Fluorescent tubes to be ordered separately</p>	<p>X x Z</p> <p>60 x 50 90 x 50</p>	<p>61030 61031</p>
	<p>Transparencies or pictograms for parabolic canopy type 2 (Item no.61030 and 61031)</p> <p>Contact sales dept.for further information</p>	<p>X x Z</p> <p>60 x 41,5-42 90 x 41,5-42</p>	<p>special</p>

July 1999

ILLUSTRATION







Example of how to use a luminous band

July 1999

Dim.


Item no.

		Dim.	Item no.
	<p>Luminous band / fascia vertical with acrylic</p> <p>Excl. 2 pcs. 15W tubes excl. 3 pcs. 15W tubes</p> <p>Fluorescent tubes to be ordered separately</p>	<p>X x Z</p> <p>60 x 47 90 x 47</p>	<p>61120 61121</p>
	<p>End for luminous band / fascia vertical with magnet</p> <p>(universal)</p>	<p>X x Z</p> <p>9 x 47</p>	<p>61125</p>
	<p>Luminous band infill vertical</p>	<p>Z</p> <p>47</p>	<p>61115</p>
	<p>Adjustable canopy holder</p> <p>Z : 44,5 cm</p>	<p>Y</p> <p>60 - 110</p>	<p>3680</p>

		Dim.	Item no.
	<p>Dias canopy complete</p> <p>Incl. frame, acrylic & opal, panels, rearbox w/light fittings and plug</p> <p>Excl. 2 pcs. 15W tubes Excl. 2 pcs. 18W tubes</p>	<p>X x Z</p> <p>60 x 45 90 x 45</p>	<p>61100 61101</p>
	<p>Back panel with cut-out for acrylic and transparencies</p> <p>Acrylic and transparencies are ordered separately</p>	<p>X x Z</p> <p>60 x 45 90 x 45</p>	<p>29085 29086</p>
	<p>Fluorescent tube for light fitting</p> <p>colour 82 (soft)</p> <p>15 W 47 3172 18 W 62 3171 36 W 124 3210 58 W 155 3211</p> <p>colour 84 (bright)</p> <p>15 W 47 3200 18 W 62 3201 36 W 124 3170</p>	<p>X</p>	

July 1999

ILLUSTRATION






Example of how to use a HD-canopy

July 1999

Dim.


Item no.

		Dim.	Item no.
	<p>HD- Canopy fascia</p>	<p>X x Z 60 x 35 90 x 35 180 x 35</p>	<p>65760 65761 65765</p>
	<p>HD-Canopy 45° internal corner</p> <p>To be used with 15 cm canopy bracket</p>	<p>Z 35</p>	<p>65785</p>
	<p>HD-canopy end, universal with clip</p>	<p>X x Z 15 x 35 65 x 35</p>	<p>65779 65780</p>

July 1999

Dim.

Item no.

		Dim.	Item no.
	HD-Canopy corner fitting	Z 35	65767


July 1999

Dim.

Item no.

		Dim.	Item no.
	<p>HD-Canopy external corner 135°</p> <p>To be used with 15 cm canopy bracket</p>	<p>X x Z</p> <p>20 x 35</p>	<p>65769</p>
	<p>HD-Canopy internal corner 135°</p>	<p>Z</p> <p>35</p>	<p>65770</p>

July 1999







Principle and measures for canopy bracket







July 1999

Dim.

Item no.

	<p>Canopy bracket</p>	<p>X x Z 15 x 4 65 x 4</p>	<p>65874 65875</p>
	<p>Canopy bracket reinforced adjustable</p>	<p>X x Z 65 x 4</p>	<p>65877</p>
	<p>Canopy nose to be fitted</p>	<p>X 35</p>	<p>65878</p>
	<p>Z-profile to be fitted – only to be used for timber canopy - set</p>	<p>X 25</p>	<p>10760</p>




July 1999

		Dim.	Item no.
	<p>Canopy shelf</p>	<p>X x Y 60 x 60 90 x 60</p>	<p>65880 65881</p>
	<p>Canopy shelf adjustable</p>	<p>X x Y 70-120 x 60</p>	<p>65882</p>
	<p>Canopy shelf R90 internal corner</p>	<p>Y 1/8 x 60</p>	<p>65884</p>
	<p>Canopy shelf 45° internal corner</p>	<p>Y 60</p>	<p>65883</p>

July 1999

Dim.




Item no.

		Dim.	Item no.
	<p>Canopy shelf 90° external corner</p>	<p>Y 60</p>	<p>65885</p>
	<p>HD-canopy shelf 90° internal corner</p> <p>Use HD support bracket R90</p>	<p>Y 60</p>	<p>65870</p>
	<p>Lightfitting with bolts, nut (isolating plastic) and extension piece</p> <p>When installed on canopy fascia</p>	<p>Z 6,6</p>	<p>71100</p>

July 1999


Dim.

Item no.

		Y x Z																								
	<p>HD-light fitting holder</p>	<p>10 x 20</p>	<p>65790</p>																							
	<p>Light fitting</p> <table data-bbox="925 739 1013 884"> <tr><td>15 W</td></tr> <tr><td>18 W</td></tr> <tr><td>36 W</td></tr> <tr><td>58 W</td></tr> </table> <p>Fluorescent tube to be ordered separately</p>	15 W	18 W	36 W	58 W	<p>X</p> <table data-bbox="1157 739 1220 884"> <tr><td>47</td></tr> <tr><td>62</td></tr> <tr><td>124</td></tr> <tr><td>155</td></tr> </table>	47	62	124	155	<table data-bbox="1332 739 1412 884"> <tr><td>3169</td></tr> <tr><td>3165</td></tr> <tr><td>3174</td></tr> <tr><td>3173</td></tr> </table>	3169	3165	3174	3173											
15 W																										
18 W																										
36 W																										
58 W																										
47																										
62																										
124																										
155																										
3169																										
3165																										
3174																										
3173																										
	<p>Fluorescent tube for light fitting</p> <table data-bbox="582 1310 1013 1601"> <tr> <td rowspan="4">colour 82 (soft)</td> <td>15 W</td> <td>47</td> <td>3172</td> </tr> <tr> <td>18 W</td> <td>62</td> <td>3171</td> </tr> <tr> <td>36 W</td> <td>124</td> <td>3210</td> </tr> <tr> <td>58 W</td> <td>155</td> <td>3211</td> </tr> <tr> <td rowspan="3">colour 84 (bright)</td> <td>15 W</td> <td>47</td> <td>3200</td> </tr> <tr> <td>18 W</td> <td>62</td> <td>3201</td> </tr> <tr> <td>36 W</td> <td>124</td> <td>3170</td> </tr> </table>	colour 82 (soft)	15 W	47	3172	18 W	62	3171	36 W	124	3210	58 W	155	3211	colour 84 (bright)	15 W	47	3200	18 W	62	3201	36 W	124	3170	<p>X</p>	
colour 82 (soft)	15 W		47	3172																						
	18 W		62	3171																						
	36 W		124	3210																						
	58 W	155	3211																							
colour 84 (bright)	15 W	47	3200																							
	18 W	62	3201																							
	36 W	124	3170																							

July 1999

ILLUSTRATION



Example of 30° Topline canopy

		Dim.	Item no.
	<p>Canopy bracket 30°</p>	<p>X x Z 38 x 45</p>	<p>63010</p>
	<p>Canopy end trim for 30° bracket</p>	<p>X x Z RH 55 x 45 LH 55 x 45</p>	<p>63031 63032</p>
	<p>Canopy fascia internal 30°</p>	<p>45°</p>	<p>63512</p>
	<p>Canopy fascia external 30°</p>	<p>90°</p>	<p>63514</p>