Z-LOCKERS



Z-LOCKERS

SOLID LOCKERS FOR SCHOOLS, SPORTS CENTRES OR SWIMMING POOLS.


The Z-locker gives you twice as many storage units as ordinary lockers, and fits particularly well in sports centres and swimming pools. The Z-lockers come in two designs. The first is of standard steel quality with double steel doors, and the second has a more solid steel body with a 16 mm MDF core. A layer of 1 mm high pressure laminate is glued to both sides of the laminate doors (18 mm total) and the doors have cut lacquered edges. Both lockers have the same available space for storing clothes, and the depth of 55 mm gives ample room for bags, backpacks etc. The lockers are well ventilated through the partition wall between the plinth and the body.



Z-LOCKERS

SOLID LOCKERS FOR SCHOOLS, SPORTS CENTRES OR SWIMMING POOLS

Technical drawings





Locks





The lockers are available with legs swhich can easily be pushed in through a recessed track, and then secured with a bolt. The legs, which are 200 mm high, come with adjustable screws. All lockers with legs come with a perforated base.





Wall mounted bench. For lockers without legs, the bench is attached to the locker's base. These lockers are attached to the wall by a plate on the back of the locker.



Locker with legs.



Bench with shoe rack.



Base with an attached bench are available for all locker combinations. The solid square legs carry both the locker and the bench. Height adjustment screws come as standard.



Locker with plinth.

Measurements:

Flat top and legs:

| 302R | 1950 x 600 x 550 mm |
|------|----------------------|
| 303R | 1950 x 900 x 550 mm |
| 304R | 1950 x 1200 x 550 mm |
| 401R | 1950 x 400 x 550 mm |
| 402R | 1950 x 800 x 550 mm |
| /00D | 1000 1000 000 |

Sloping top and legs:

| 301S | 2140 x 300 x 550 mm |
|------|----------------------|
| 302S | 2140 x 600 x 550 mm |
| 303S | 2140 x 900 x 550 mm |
| 304S | 2140 x 1200 x 550 mm |
| 401S | 2140 x 400 x 550 mm |
| 402S | 2140 x 800 x 550 mm |
| 403S | 2140 x 1200 x 550 mm |

Flat top and plinth

| 301R | 1885 x 300 x 550 mm |
|------|----------------------|
| 302R | 1885 x 600 x 550 mm |
| 303R | 1885 x 900 x 550 mm |
| 304R | 1885 x 1200 x 550 mm |
| 401R | 1885 x 400 x 550 mm |
| 402R | 1885 x 800 x 550 mm |
| 403R | 1885 x 1200 x 550 mm |
| | |

Sloping top and plinth:

| 301S | 2075 x 300 x 550 mm |
|------|----------------------|
| 302S | 2075 x 600 x 550 mm |
| 303S | 2075 x 900 x 550 mm |
| 304S | 2075 x 1200 x 550 mm |
| 401S | 2075 x 400 x 550 mm |
| 402S | 2075 x 800 x 550 mm |
| 403S | 2075 x 1200 x 550 mm |

Flat top and bench:

| 301R | 2145 x 300 x 550 mm |
|------|----------------------|
| 302R | 2145 x 600 x 550 mm |
| 303R | 2145 x 900 x 550 mm |
| 304R | 2145 x 1200 x 550 mm |
| 401R | 2145 x 400 x 550 mm |
| 402R | 2145 x 800 x 550 mm |

Sloping top and bench:

| 301S | 2335 x 300 x 550 mm |
|------|----------------------|
| 302S | 2335 x 600 x 550 mm |
| 303S | 2335 x 900 x 550 mm |
| 304S | 2335 x 1200 x 550 mm |
| 401S | 2335 x 400 x 550 mm |
| 402S | 2335 x 800 x 550 mm |
| 4035 | 2335 x 1200 x 550 mm |

